

**WHAT IS CLAIMED IS:**

1. An apparatus for illuminating a portable electronic device having a utility power jack in electrical connection with a power source, comprising:

a plug for plugging the apparatus into the utility power jack, wherein the plug

5 contains one or more support wings;

a body connected to the plug; and

an illumination device attached to the body and electrically connected to the utility power jack through the plug and the body;

wherein the illumination device is powered by the power source when the apparatus is plugged into the utility power jack.

2. An apparatus as recited in claim 1, wherein the plug contains at least two support wings for preventing movement of the body in a certain direction, where at least one support wing is on a first end of the plug, and at least one support wing is on a second end of the plug.

3. An apparatus as recited in claim 1, wherein the plug has a second utility power jack adapted to receive a second plug that is in electrical communication with the utility power jack when the second plug is plugged into the plug and the plug is plugged into the utility power jack.

4. An apparatus as recited in claim 2, wherein the plug has a second utility power jack adapted to receive a second plug that is in electrical communication with the utility power jack when the second plug is plugged into the plug and the plug is plugged into the utility power jack.

5. An apparatus as recited in claim 1, wherein the body further comprises a reflector.

6. An apparatus as recited in claim 1, wherein the body further comprises a dimmer.

5 7. An apparatus for illuminating a portable computing device with a display screen, the apparatus also having a utility port in electrical connection with a power source, comprising:

a plug for plugging the apparatus into the utility port;

a body connected to the plug, wherein the body further comprises a dimmer; and

10 a light emitting diode ("LED") attached to the body and electrically connected to the utility port through the plug and the body;

wherein the LED is powered by the power source when the apparatus is plugged into the utility port.

8. An apparatus as recited in claim 7, wherein the LED is a white light diode.

15 9. An apparatus as recited in claim 8, wherein the portable computing device is an electronic game device.

20 10. An apparatus as recited in claim 9, wherein the plug has a second utility port adapted to receive a second plug that is in electrical communication with the utility port when the second plug is plugged into the plug and the plug is plugged into the utility port.

11. An apparatus as recited in claim 9, wherein the body is comprised of a flexible arm.

- a